



Base units
750mm




UDD Base unit

↔ 30/35/40/45/50/60
↑ 75
↙ 60/35




UDD Base unit

↔ 80/90/100/120
↑ 75
↙ 60/35




U Base unit

↔ 30/40/45/50/60
↑ 75
↙ 60/35




U Base unit

↔ 80/90/100/120
↑ 75
↙ 60/35




UDDI Base unit

↔ 40/45/50/60
↑ 75
↙ 60




UBKOD Bread-slicer unit

↔ 40/45/60
↑ 75
↙ 60




UIDD Base unit

↔ 40/45/50/60
↑ 75
↙ 60/35




UI Base unit

↔ 40/45/50/60
↑ 75
↙ 60/35



UAK Pull-out unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60/75/35




UAKS Pull-out unit with large-capacity pull-out drawer


↔ 60/80/90/100
↑ 75
↙ 60



↔ Carcase width
↑ Carcase height
↙ Carcase depth




The base units in your Nolte kitchen give you numerous and extremely versatile design options – making sure you get precisely the storage space you need.




UAS Drawer base unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60/75/35




USA Drawer base unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60/35




US Drawer base unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60



USAP Drawer base unit with work table


↔ 60
↑ 75
↙ 60



UZ Pull-out unit


↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60/75/35

Waste separation




UWSO Pull-out unit with holder for recyclable-waste bag

↔ 30
↑ 75
↙ 60




UAB Pull-out unit with waste bin

↔ 30/40/45/50/60
↑ 75
↙ 60




UABO Pull-out unit with waste bin

↔ 30/40/45/50/60
↑ 75
↙ 60




UABD Pull-out unit with waste bin

↔ 30/40/45/50/60
↑ 75
↙ 60




UZI Pull-out unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60/75/35




UAZ Pull-out unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60




UAZI Pull-out unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60



UATDIA Pull-out unit


↔ 30/40/45/50/60
↑ 75
↙ 60



UATD Pull-out unit


↔ 30/40/45/50/60
↑ 75
↙ 60

Display units




UDDV Base unit with glass door

↔ 40/45/50/60
↑ 75
↙ 60/35




UDDV Base unit with glass door

↔ 80/90/100
↑ 75
↙ 60/35




UDDDE Base unit with glass door DE

↔ 40/45/50/60
↑ 75
↙ 60/35




UATIA Pull-out unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60




UAT Pull-out unit

↔ 30/40/45/50/60/80/90/100/120
↑ 75
↙ 60




UKD Stile unit

↔ 15
↑ 75
↙ 60




UKTD Stile unit with towel rail

↔ 15
↑ 75
↙ 60




UR Open shelf base unit

↔ 15/20/25/30/35/40/45/50/55/60
↑ 75
↙ 60/35




UDDDE Base unit with glass door DE

↔ 40/45/50/60
↑ 75
↙ 60/35



UDDDS Base unit with glass door DS

↔ 40/45/50/60
↑ 75
↙ 60/35



UDDDS Base unit with glass door DS

↔ 40/45/50/60
↑ 75
↙ 60/35

Besides the product-related glass doors, you can also choose from other design options which are briefly explained here:

Planning information!



SAG White glass satined



PGG Parsol glass




SGG Glass black tinted

Glass door DE (frame in stainless steel):
Flush-fitting, satin-finish glass door.
Available in three colour finishes.


Glass door DS (frame in black):
Flush-fitting, satin-finish glass door.
Available in three colour finishes.

Base units
750mm


Sink base units




SO Sink base unit
↔ 45/50/60
↑ 75
↙ 60




SO Sink base unit
↔ 80/90/100/120
↑ 75
↙ 60




SOD Sink base unit
↔ 45/50/60
↑ 75
↙ 60




SOD Sink base unit
↔ 80/90/100/120
↑ 75
↙ 60




SABD Sink base unit
↔ 45/50/60
↑ 75
↙ 60




SABHD Sink base unit with hanging waste separation system
↔ 40/45/60
↑ 75
↙ 60




SAB Sink base unit
↔ 45/50/60
↑ 75
↙ 60




SABS Sink base unit with large-capacity pull-out drawer
↔ 60/80/90/100
↑ 75
↙ 60




SAK Sink base unit
↔ 60/80/90/100/120
↑ 75
↙ 60




SAZ Sink base unit
↔ 60/80/90/100/120
↑ 75
↙ 60




SUZ Sink base unit
↔ 60/80/90/100/120
↑ 75
↙ 60




GSB Front panel for integrated dishwasher
↔ 45/60
↑ 75
↙ 60




GSBD Front panel for fully integrated dishwasher
↔ 45/60
↑ 75
↙ 60




GSBS Front panel for fully integrated dishwasher
↔ 45/60
↑ 75
↙ 60




UESD Corner sink base unit
↔ 90
↑ 75
↙ 60




UES Corner sink base unit
↔ 90
↑ 75
↙ 60




UEPSZ Space filler for corner sink base unit
↔ 110/115/125
↑ 75
↙ 60




UESAD Space filler for corner sink base unit
↔ 110/115/125
↑ 75
↙ 60




UESA Space filler for corner sink base unit
↔ 110/115/125
↑ 75
↙ 60




UELAD Corner base unit „LE MANS“
↔ 110/115/125
↑ 75
↙ 60




UELA Corner base unit
↔ 110/115/125
↑ 75
↙ 60




UEEAD Corner base unit
↔ 110/115/125
↑ 75
↙ 60



UEEA Corner base unit
↔ 110/115/125
↑ 75
↙ 60



UEAD Corner base unit
↔ 110/115/125
↑ 75
↙ 60



UEA Corner base unit
↔ 110/115/125
↑ 75
↙ 60

Corner units

9




Generate storage where space is otherwise left unused: the plinth drawer provides the answer.




10




11




UEK Corner base unit
↔ 80/90
↑ 75
↙ 60




UEKE Corner base unit
↔ 80/90
↑ 75
↙ 60



UETD Corner base unit
↔ 90
↑ 75
↙ 60




UET Corner base unit
↔ 90
↑ 75
↙ 60




UETDE Corner base unit
↔ 90
↑ 75
↙ 60


Cooker and hob base units




UH Cooker unit
↔ 60
↑ 75
↙ 60




UHSK Cooker unit with drawer
↔ 60
↑ 75
↙ 60



UHS Cooker unit with large-capacity pull-out drawer
↔ 60
↑ 75
↙ 60



KUAK Hob base unit
↔ 60/80/90/100/120
↑ 75
↙ 60



KUZ Hob base unit
↔ 60/80/90/100/120
↑ 75
↙ 60

Besides classic waste separation systems, Nolte Küchen also offers waste bins for corner units **8** or even options for disposing of food preparation waste directly below the work surface. **6**



9



7

Base units

900 mm | 600 mm


MATRIX900

by nolte KÜCHEN


Base units

600 mm
300 mm | 450 mm


900 mm units




UDD Base unit
↔ 30/35/40/45/50/60
↑ 90
↙ 60/35




UDD Base unit
↔ 80/90/100/120
↑ 90
↙ 60/35




UDDI Base unit
↔ 40/45/50/60
↑ 90
↙ 60




UIADD Base unit
↔ 40/45/50/60
↑ 90
↙ 60/35




UIDD Base unit
↔ 40/45/50/60
↑ 90
↙ 60/35




UAK Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35




UAS Drawer base unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35




USA Drawer base unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35




UZ Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35




UZI Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35



UAZ Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35




UAZI Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 90
↙ 60/35




UR Base unit
↔ 15/20/25/30/35/40/45/50/55/60
↑ 90
↙ 60/35


Sink base units




SOD Sink base unit
↔ 45/50/60
↑ 90
↙ 60



SABHD Sink base unit
↔ 45/50/60
↑ 90
↙ 60




SUZ SSink base unit
↔ 60/80/90/100/120
↑ 90
↙ 60




GSBD Front panel for fully integrated dishwasher
↑ 60
↑ 90
↙ 60

Cooker and hob base units




UHAZ Cooker unit
↑ 60
↑ 90
↙ 60




KUAK Hob base unit
↔ 60/80/90/100/120
↑ 90
↙ 60

Corner unit




UELAD "LE MANS" spacefiller corner base unit
↔ 110/115/125
↑ 90
↙ 60


Vitrinen




UDDV Base unit with glass door
↔ 40/45/50/60
↑ 90
↙ 35




UDDV Base unit with glass door
↔ 80/90/100
↑ 90
↙ 35




UDDDE Base unit with glass door DE
↔ 40/45/50/60
↑ 90
↙ 35



UDDDE Base unit with glass door DE
↔ 80/90/100
↑ 90
↙ 35




UDDDS Base unit with glass door DS
↔ 40/45/50/60
↑ 90
↙ 35




UDDDS Base unit with glass door DS
↔ 80/90/100
↑ 90
↙ 35

The 900 mm carcass height provides the perfect combination of ergonomics and design. With the slim-line plinth, it not only creates a completely new look but also sets new standards in storage space and ergonomics. This makes it possible to plan interesting kitchen configurations, particularly in combination with 600 mm height base unit elements.


600 mm units




UDD Base unit
↔ 30/35/40/45/50/60
↑ 60
↙ 60/35




UDD Base unit
↔ 80/90/100/120
↑ 60
↙ 60/35




UATD Pull-out unit
↔ 30/40/45/50/60/80/90/100
↑ 60
↙ 60



UAZ Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 60
↙ 60




UAZI Pull-out unit
↔ 30/40/45/50/60/80/90/100
↑ 60
↙ 60




USA Hob base unit
↔ 30/40/45/50/60/80/90/100
↑ 60
↙ 60

450 mm | 300 mm units



UAK Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 45
↙ 60/35



UAK Pull-out unit
↔ 30/40/45/50/60/80/90/100/120
↑ 30
↙ 60/35

Besides the product-related glass doors, you can also choose from other design options which are briefly explained here:

Planning information!



SAG White glass satined



PGG Parsol glass



SGG Glass black tinted


Glass door DE (frame in stainless steel):
Flush-fitting, satin-finish glass door. Available in three colour finishes.
Glass door DS (frame in black):
Flush-fitting, satin-finish glass door. Available in three colour finishes.

Wall units

300 | 450 | 600 | 750 |
900 mm


Wall units

with glass
300 | 450 | 600 | 750 |
900 mm




H Wall unit

↔ 30/35/40/45/50/60
↑ 45/60/75/90
↙ 35




H Wall unit

↔ 80/90/100
↑ 45/60/75/90
↙ 35




HGL Spice cupboard

↔ 30/40/45/50/60
↑ 60/75/90
↙ 35




HFT Folding door wall unit

↔ 60
↑ 60/75/90
↙ 35




HL Pivoting flap door unit

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HV Wall unit with glass door

↔ 40/45/50/60
↑ 60/75/90
↙ 35




HV Wall unit with glass door

↔ 80/90/100/120
↑ 60/75/90
↙ 35




HVDE Wall unit with glass door DE

↔ 40/45/50/60
↑ 60/75/90
↙ 35




HVDE Wall unit with glass door DE

↔ 80/90/100/120
↑ 60/75/90
↙ 35




HVDS Wall unit with glass door DS

↔ 40/45/50/60
↑ 60/75/90
↙ 35




HFK Folding top-hinged door unit

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HK Wall unit

↔ 45/50/60/80/90/100/120
↑ 45
↙ 35




H Wall unit

↔ 30/40/45/50/60/80/90/100/120
↑ 30
↙ 35




HEK Wall unit

↔ 80/90
↑ 60/75/90
↙ 35




HES Corner wall unit

↔ 80/90
↑ 60/75/90
↙ 35




HVDS Wall unit with glass door DS

↔ 80/90/100/120
↑ 60/75/90
↙ 35




HLV Pivoting flap door unit with glass

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HLDE Pivoting flap door unit with glass DE

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HLDS Pivoting flap door unit with glass DS

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HE Corner wall unit

↔ 65/80/90
↑ 60/75/90
↙ 35




HET Corner wall unit

↔ 60
↑ 60/75/90
↙ 35




HER Corner wall shelf unit

↔ 60/65
↑ 60/75/90
↙ 35




HM Wall unit for microwave

↔ 50/60
↑ 60/75/90
↙ 35




HFKV Folding top-hinged door unit with glass

↔ 45/50/60/80/90/100/120
↑ 60
↙ 35




HFKVPU Folding top-hinged door unit with glass

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35



HFKDEPU Folding top-hinged door unit with glass DE

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HFKDSPU Folding top-hinged door unit with glass DS

↔ 45/50/60/80/90/100/120
↑ 60/75
↙ 35




HVS Diagonal unit

↔ 30
↑ 60/75/90
↙ 35




HWU Wall unit for integrated extractor hood

↔ 60
↑ 45/60/75/90
↙ 35




HWU Wall unit for integrated extractor hood

↔ 90
↑ 45/60/75/90
↙ 35




HWUL Pivoting flap door unit for integrated extractor hood

↔ 80/90/100/120
↑ 60/75
↙ 35




HWUFK Folding top-hinged door unit for integrated extractor hood

↔ 80/90/100/120
↑ 60/75
↙ 35




HV Wall unit with glass

↔ 45/50/60/80/90/100/120
↑ 30
↙ 35




HVDE Wall unit with glass DE

↔ 45/50/60/80/90/100/120
↑ 30
↙ 35




HVDS Wall unit with glass DS

↔ 45/50/60/80/90/100/120
↑ 30
↙ 35



HR Wall shelf unit

↔ 15/20/25/30/35/40/45/50/55/60
↑ 30/45/60/75/90
↙ 35



HF Wall unit bottle rack

↔ 15
↑ 60/75/90
↙ 35

Matrix 150 even gives
350mm deep wall units
enough space to store
large pasta plates.



Besides the product-related
glass doors, you can also
choose from other design
options which are briefly
explained here:

Planning information!



SAG White glass satined



PGG Parsol glass




SGG Glass black tinted

Glass door DE (frame in stainless steel):
Flush-fitting, satin-finish glass door.
Available in three colour finishes.

Glass door DS (frame in black):
Flush-fitting, satin-finish glass door.
Available in three colour finishes.


Larder units and appliance housings

1050 mm




V Larder unit

↔ 30/40/45/50/60
↑ 105
↱ 60




VI Larder unit

↔ 40/45/50/60
↑ 105
↱ 60




VA Larder unit

↔ 30/40/45/50/60
↑ 105
↱ 60




VAK Larder unit

↔ 30/40/45/50/60
↑ 105
↱ 60




VVA Larder unit

↔ 30/40
↑ 105
↱ 60




VELA Corner larder unit

↔ 110/115/125
↑ 105
↱ 60




GK Appliance housing
for refrigerator / recess 1025mm

↔ 60
↑ 105
↱ 60




GBZ Appliance housing
for oven or microwave

↔ 60
↑ 105
↱ 60




GBAS Appliance housing
for oven or microwave

↔ 60
↑ 105
↱ 60



SR Open shelf units

↔ 20/25/30/35/40/45/50/55/60
↑ 105
↱ 60




SF Bottle rack

↔ 15
↑ 105
↱ 60

Simply turn your appliance housings
into a sideboard: the tall-unit height
of 1050 mm gives you even more
ways of opening up the design of
the kitchen.




The drawings show 1500 mm carcass height.




V Larder unit

↔ 30/40/45/50/60
↑ 135/150
↱ 60




VI Larder unit

↔ 40/45/50/60
↑ 135/150
↱ 60




VAK Larder unit

↔ 30/40/45/50/60
↑ 135/150
↱ 60




VVK Larder unit

↔ 60
↑ 135/150
↱ 60




VVA Larder unit

↔ 30/40
↑ 135/150
↱ 60




VELA Corner larder unit

↔ 110/115/125
↑ 135/150
↱ 60




GKA Appliance housing
for refrigerator / recess 880mm

↔ 60
↑ 135/150
↱ 60




GKA Appliance housing
for refrigerator / recess 1025mm

↔ 60
↑ 135/150
↱ 60




GK Appliance housing
for refrigerator / recess 1225mm

↔ 60
↑ 135/150
↱ 60




GKG Appliance housing
for fridge/
freezer combination / recess 1225 mm

↔ 60
↑ 135/150
↱ 60




GKL Appliance housing with
lift-up door for refrigerator /
microwave / recess 880mm

↔ 60
↑ 135/150
↱ 60




SR Open shelf units

↔ 20/25/30/35/40/45/50/55/60
↑ 135/150
↱ 60




GB Appliance housing
for oven or microwave

↔ 60
↑ 135/150
↱ 60




GBI Appliance housing
for oven or microwave

↔ 60
↑ 135/150
↱ 60




GB Appliance housing
for oven or microwave

↔ 60
↑ 135/150
↱ 60




GBZ Appliance housing
for oven or microwave

↔ 60
↑ 135/150
↱ 60



GBLA Appliance housing with
lift-up door for oven and microwave

↔ 60
↑ 135/150
↱ 60




SF Bottle rack

↔ 15
↑ 135/150
↱ 60

Planning information!

This example shows you how units vary in
relation to carcass height:



↑ 1350 mm

↑ 1500 mm


Appliance housings always adapt to the
appliances fitted in them. Depending on
make and appliance height, the units shown
here can be varied in terms of front layout
and number of drawers or pull-outs.

To give you an overall picture of the extensive range of
storage units and appliance housings you can choose
from, we have summarised the available carcass heights
here in one illustration which shows only a selection of
appliance housings.

Larder units and appliance housings


1950 | 2100 | 2250 mm

The drawings show
2100mm carcase height.



V Larder unit


↔ 30/40/45/50/60
↑ 195/210/225
↩ 60



VI Larder unit


↔ 40/45/50/60
↑ 195/210/225
↩ 60

2




VAK Larder unit

↔ 30/40/45/50/60
↑ 195/210/225
↩ 60



VZ Larder unit


↔ 30/40/45/50/60
↑ 195/210/225
↩ 60




VB Broom cupboard

↔ 30/40/45/50/60
↑ 195/210/225
↩ 60


3




GKL Appliance housing with lift-up door for refrigerator / microwave / recess 1025 mm
↔ 60
↑ 195/210/225
↩ 60




GB Appliance housing for oven / microwave
↔ 60
↑ 195/210/225
↩ 60




GBI Appliance housing for oven / microwave
↔ 60
↑ 195/210/225
↩ 60



GBAK Appliance housing for oven / microwave
↔ 60
↑ 195/210/225
↩ 60




GBZ Appliance housing for oven / microwave
↔ 60
↑ 195/210/225
↩ 60



VVK Larder unit


↔ 60
↑ 195/210/225
↩ 60

4




VVA Larder unit

↔ 30/40
↑ 195/210/225
↩ 60




GK Appliance housing for refrigerator / recess 880mm

↔ 60
↑ 195/210/225
↩ 60




GKAK Appliance housing for refrigerator / recess 880mm

↔ 60
↑ 195/210/225
↩ 60




GKZ Appliance housing for refrigerator / recess 880mm

↔ 60
↑ 195/210/225
↩ 60




GBBa Appliance housing for oven / microwave

↔ 60
↑ 195/210/225
↩ 60




GBL Appliance housing with lift-up door for oven / microwave

↔ 60
↑ 195/210/225
↩ 60




GGSa Appliance housing surround for dishwasher

↔ 60
↑ 195/210/225
↩ 60




GGSB Appliance housing surround for dishwasher / oven

↔ 60
↑ 195/210/225
↩ 60




SF Bottle rack

↔ 15
↑ 195/210/225
↩ 60




GKA Appliance housing for refrigerator / recess 880mm

↔ 60
↑ 195/210/225
↩ 60




GK Appliance housing for refrigerator / recess 1025mm

↔ 60
↑ 195/210/225
↩ 60




GKAK Appliance housing for refrigerator / recess 1025mm

↔ 60
↑ 195/210/225
↩ 60




GKZ Appliance housing for refrigerator / recess 1025mm

↔ 60
↑ 195/210/225
↩ 60




GKA Appliance housing for refrigerator / recess 1025mm

↔ 60
↑ 195/210/225
↩ 60




SR Open shelf units

↔ 20/25/30/35/40/45/50/55/60
↑ 195/210/225
↩ 60




GK Appliance housing for refrigerator / recess 1225mm

↔ 60
↑ 195/210/225
↩ 60




GKA Appliance housing for refrigerator / recess 1225mm

↔ 60
↑ 195/210/225
↩ 60




GK Appliance housing for refrigerator / recess 1440mm

↔ 60
↑ 195/210/225
↩ 60



GKG Appliance housing for fridge/freezer combination / recess 1580 mm

↔ 60
↑ 195/210/225
↩ 60




GKB Appliance housing for refrigerator and oven / recess 880 mm

↔ 60
↑ 195/210/225
↩ 60




Planning information!

To give you an overall picture of the extensive range you can choose from, we have summarised the available carcase heights here in one illustration which shows only a selection of appliance housings.



Appliance housings always adapt to the appliances fitted in them. Depending on make and appliance height, the units shown here can be varied in terms of front layout and number of drawers or pull-outs.



The example on the left shows you how units vary in relation to carcase height:

By way of example, an appliance housing for a refrigerator in 2100mm height with recess heights of 880,1025 and 1225mm (from left to right).